

W4086C.S



General description

Product group: Washing Machine
Installation: Freestanding
Loading capacity: 8 kg
Spin speed: 1600 rpm
21 programs
Energy class: A+++
Main colour: Stainless Steel

Programs

Cotton
Mix/synthetics
Wool/hand program
Universal
Dark wash
Bedding
Time program
Auto
Quick
Heavy
Rinse
Spin
Drain
Easy care
Drum cleaning
Jeans
Shirts
Hygiene
Quick Pro
Allergy program Cotton
Allergy synthetics program

Options

Adjustable spin speed: Adjustable spin speed
Super Rinse™ - extra rinses added.
Super wash
High water level
Prewash
Anticrease function

Modes

Construction & Performance

Quattro Construction™ – vibration-free spinning
Door: Steel Seal™ - hygienic door sealing
Long lasting stainless steel drum
Cast iron
Active Drum™ - for a careful yet effective wash cycle.
Heater power: 2000 W
Precise temperature control (max deviation: +/- 1 °C)
Water level sensor
Drum volume: 60 l
Drum volume (USA): 2,1 cu ft
Durable brushless motor
Pro Wash system - extra effective washing and rinsing

Use & flexibility

Easy close door
Liquid detergent insert
Temperature range: Cold-90°C
Door diameter: 31 cm
Door opening angle: 110 °

Interaction & Control

Delayed Start
Remaining time indicator
Type of display: LCD display
21 programs

Design & integration

Door opening: Hinge on left side
Adjustable feet: 10 mm
ASKO tumble dryer can be mounted on top of the washer

Normal mode, Green mode, Allergy mode, Speed mode,
Intensive mode

3/4" Cold water connection
Loading position: Front

Safety & Maintenance

Removable lifters for easy cleaning
Waterproof bottom plate
Maximized water inlet time
PEX inlet hose
Anti Block™ - Self cleaning drain pump.
Overflow protection
Emergency door opening key
Lockable control panel
Possible to open door from inside
Unbalance detection - protects the washer against harmful vibrations.
Draining capacity: 20 l/min
Overheat protection
Thermal and electronic protection against overheating

Technical data

Water remaining after spin: 44 %
Heater power: 2000 W
Drum volume: 60 l
3/4" Cold water connection
Counter weight material: Cast iron
Counter weight (kg): 10,4 kg
Noise level: 77 dB(A)re 1 pW
Noise level washing: 49 dB(A)re 1 pW
Estimated annual water consumption: 10310 l
Power consumption in standby mode: 0,7 W
Power consumption in off mode: 0,3 W
Energy class: A+++
Connected load: 2200 W
Voltage (V): 220-240 V
Number of phases: 1
Fuse: 10 amp
Frequency: 50 Hz
Net weight: 75,5 kg
Marked for recycling
ISO 14001

Dimensions

Product dimensions (HxWxD): 85 × 59,5 × 58,5 cm
Adjustable feet: 10 mm
Depth with door open: 942 mm
Length electrical cord: 2,3 m
Length inlet hose: 150 cm
Length outlet hose: 160 cm

Logistic information

Dimensions of packed product (HxWxD): 92 × 64 × 66,1 cm
Gross weight: 78,7 kg
Product code: 574996
EAN code: 3838782008535
Product area: Laundry
Market: Domestic
Range: Logic

